

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	157	("electrical resistance" same (voltage near current )) and ignit \$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/12 17:42
L11	47	adjust same ("electrical resistance" same (voltage near current )) and ignit \$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/12 17:41
L10	69	adjust same ("electrical resistance" same (voltage near current ))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/12 17:41
L9	58	igniter and ("electrical resistance" same (voltage near current ))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/12 17:39
L8	12	igniter and ("electrical resistance" same (voltage near current ))	USOCR	OR	ON	2011/08/12 17:39
L7	7	igniter same ("electrical resistance" same (voltage near current ))	USOCR	OR	ON	2011/08/12 17:38
L6	6	igniter same ("electrical resistance" same (voltage near current ))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/12 17:35
L5	2526	"electrical resistance" same (voltage near current )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/12 17:34

S213	2	("7148454").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/11 21:07
------	---	-----------------	---	----	-----	---------------------

8/ 12/ 2011 5:43:59 PM

H:\ Documents and Settings\ cprice\ My Documents\ EAST\ Workspaces\ 10700339.wsp